

# Safety Data Sheet

## POWERBLOCK ULTRA 5LB



### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	<b>POWERBLOCK ULTRA 5LB</b>
<b>Other Means of Identification</b>	7013
<b>Other Identification</b>	<b>DEODORANT BLOCK</b>
<b>Product Family</b>	Camphor
<b>Recommended Use</b>	Dry Deodorants.
<b>Restrictions on Use</b>	None known.
<b>Manufacturer</b>	Superco Specialty Products, 25041 Anza Drive, Valencia, CA 91354 , 661-775-8877, www.supercoproducts.com
<b>Supplier</b>	Superco Specialty Products, 25041 Anza Drive, Valencia, CA 91354 , 661-775-8877, www.supercoproducts.com
<b>Emergency Phone No.</b>	800 535 5053, 24hr (Infotrac)
<b>SDS No.</b>	7014

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable solid - Category 2; Acute toxicity (Oral) - Category 2; Skin corrosion/irritation - Category 2; Serious eye damage/eye irritation - Category 2A; Specific target organ toxicity (single exposure) - Category 3

#### GHS Label Elements



Signal Word:  
Danger

#### Hazard Statement(s):

H228	Flammable solid.
H300	Fatal if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

#### Precautionary Statement(s):

##### Prevention:

P210	Keep away from heat, sparks, open flames, and hot surfaces. – No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating, lighting, and other equipment.
P261	Avoid breathing dust, fume, gas, mist, vapours or spray.

---

Product Identifier:	POWERBLOCK ULTRA 5LB
SDS No.:	7013
Date of Preparation:	April 07, 2015

P264 Wash hands and skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/eye protection/face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE/doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTRE/doctor if you feel unwell.  
P321 Specific treatment (see on this label).  
P330 Rinse mouth.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use appropriate foam to extinguish.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

**Disposal:**

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

**Other Hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers
Camphor	76-22-2	92.5	
ISOBORNEOL	124-76-5	7.5	

### SECTION 4. FIRST-AID MEASURES

**First-aid Measures**

**Inhalation**

Move to fresh air. Call a Poison Centre or doctor if you feel unwell or are concerned.

**Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Call a Poison Centre or doctor if you feel unwell or are concerned.

**Eye Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If eye irritation persists, get medical advice/attention.

**Ingestion**

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Immediately call a Poison Centre or doctor.

Product Identifier: POWERBLOCK ULTRA 5LB

SDS No.: 7013

Date of Preparation: April 07, 2015

Page 02 of 07

### **First-aid Comments**

If exposed or concerned, get medical advice/attention.

### **Most Important Symptoms and Effects, Acute and Delayed**

If inhaled:

Can irritate the nose and throat.

If on skin:

May cause mild irritation.

If in eyes:

May cause moderate to severe irritation.

If swallowed:

Can irritate the mouth, throat and stomach.

### **Immediate Medical Attention and Special Treatment**

#### **Target Organs**

Respiratory system.

#### **Special Instructions**

Not applicable.

#### **Medical Conditions Aggravated by Exposure**

Respiratory conditions.

## **SECTION 5. FIRE-FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Small fire: Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Large fire: Use flooding quantities of water spray or fog.

#### **Unsuitable Extinguishing Media**

None known.

### **Specific Hazards Arising from the Chemical**

Flammable solid.

May travel a considerable distance to a source of ignition and flash back to a leak or open container.

In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide.

### **Special Protective Equipment and Precautions for Fire-fighters**

Use extreme caution.

Fire-fighters should enter area wearing specialized protective equipment. (Bunker Gear will not provide adequate protection.).

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment, and Emergency Procedures**

Use the personal protective equipment recommended in Section 8 of this safety data sheet. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Eliminate all ignition sources. Use grounded, explosion-proof equipment.

### **Environmental Precautions**

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas. Do not allow into any sewer, on the ground or into any waterway.

### **Methods and Materials for Containment and Cleaning Up**

Stop or reduce leak if safe to do so. Store recovered product in suitable containers that are: tightly-covered.

## **SECTION 7. HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Product Identifier: POWERBLOCK ULTRA 5LB

SDS No.: 7013

Date of Preparation: April 07, 2015

Page 03 of 07

Avoid repeated or prolonged skin contact with product or with contaminated equipment/surfaces. Only use where there is adequate ventilation. Avoid generating dusts. Avoid generating vapours or mists. Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs.

### Conditions for Safe Storage

Store in an area that is: dry, well-ventilated, out of direct sunlight and away from heat and ignition sources, separate from incompatible materials (see Section 10: Stability and Reactivity).

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Camphor	12 mg/m3	19 mg/m3	2 mg/m3			

### Appropriate Engineering Controls

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles.

#### Skin Protection

Prevent skin contact.

#### Respiratory Protection

Do not breathe in this product.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

<b>Appearance</b>	Colourless white crystalline crystals.
<b>Odour</b>	Aromatic
<b>Odour Threshold</b>	Causes olfactory fatigue.
<b>pH</b>	Not applicable
<b>Melting Point/Freezing Point</b>	356 - 417 °F (180 - 214 °C) (estimated) (melting); 356 - 417 °F (180 - 214 °C) (estimated) (freezing)
<b>Initial Boiling Point/Range</b>	Not available
<b>Flash Point</b>	150.1 °F (65.6 °C) (closed cup) (Camphor)
<b>Evaporation Rate</b>	Not available
<b>Flammability (solid, gas)</b>	Flammable solid. (Camphor)
<b>Upper/Lower Flammability or Explosive Limit</b>	3.5% (Camphor) (upper); 0.6% (Camphor) (lower)
<b>Vapour Pressure</b>	Not applicable
<b>Vapour Density (air = 1)</b>	5.24
<b>Relative Density (water = 1)</b>	Not available
<b>Solubility</b>	Slightly soluble in water; Highly soluble in ketones (e.g. acetone).
<b>Partition Coefficient, n-Octanol/Water (Log Kow)</b>	Not available
<b>Auto-ignition Temperature</b>	~ 873 °F (467 °C) (Camphor)
<b>Decomposition Temperature</b>	Not available
<b>Viscosity</b>	Not applicable (kinematic); Not applicable (dynamic)
<b>Other Information</b>	
<b>Physical State</b>	Solid

Product Identifier: POWERBLOCK ULTRA 5LB  
 SDS No.: 7013  
 Date of Preparation: April 07, 2015

<b>Molecular Formula</b>	Not applicable
<b>Molecular Weight</b>	Not applicable
<b>Critical Temperature</b>	Not available
<b>Saturated Vapour Concentration</b>	1267 - 1681 ppm

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

None known.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None known.

### Conditions to Avoid

None known.

### Incompatible Materials

Oxidizing agents (e.g. peroxides), strong oxidizing agents (e.g. perchloric acid), acid anhydrides (e.g. acetic anhydride), organic acids (e.g. acetic acid).

### Hazardous Decomposition Products

Very toxic carbon monoxide, carbon dioxide.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Camphor		1310 mg/kg (mouse)	
ISOBORNEOL		5200 mg/kg (rat)	5000 mg/kg (rabbit)

### Skin Corrosion/Irritation

Animal tests show moderate or severe irritation following prolonged exposure (24 hours).

### Serious Eye Damage/Irritation

There is limited evidence of mild irritation. (Camphor)

### STOT (Specific Target Organ Toxicity) - Single Exposure

#### Inhalation

May be harmful based on limited evidence.  
Causes nose and throat irritation. May cause lung injury.

#### Skin Absorption

May be harmful.

#### Ingestion

May be harmful based on limited evidence.  
Irritation of the mouth, throat and stomach, harmful effects on the kidneys, harmful effects on the liver.

### Aspiration Hazard

No information was located.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

### Respiratory and/or Skin Sensitization

Product Identifier: POWERBLOCK ULTRA 5LB  
 SDS No.: 7013  
 Date of Preparation: April 07, 2015

No information was located.

#### **Carcinogenicity**

A4 – Not classifiable as a human carcinogen.

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists. A4 = Not classifiable as a human carcinogen.

#### **Reproductive Toxicity**

##### **Development of Offspring**

May cause effects on the unborn child based on information for closely related chemicals.

##### **Sexual Function and Fertility**

No information was located.

##### **Effects on or via Lactation**

Does not cause effects on or via lactation.

#### **Germ Cell Mutagenicity**

Not mutagenic. Animal studies show evidence of mutagenicity in reproductive cells (sperm or eggs).

#### **Interactive Effects**

No information was located.

## **SECTION 12. ECOLOGICAL INFORMATION**

Environmental information was not located.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal Methods**

The required hazard evaluation of the waste and compliance with the applicable hazardous waste laws are the responsibility of the user.

## **SECTION 14. TRANSPORT INFORMATION**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	1325	Flammable solids, organic, n.o.s. (Flammable Solid Fragrance)	4.1	III
US DOT	1325	Flammable solids, organic, n.o.s. (Flammable Solid Fragrance)	4.1	III

**Special Precautions for User** Please note: US DOT Exceptions: LTD QTY (See CFR)(Ground) See 40 CFR for Quantity Limitations by other modes.

#### **Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## **SECTION 15. REGULATORY INFORMATION**

#### **Safety, Health and Environmental Regulations**

##### **Canada**

##### **WHMIS Classification**



Product Identifier: POWERBLOCK ULTRA 5LB

SDS No.: 7013

Date of Preparation: April 07, 2015

Page 06 of 07

Class B3      Class D2B

B3 - Combustible Liquid; D2B - Toxic

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL or are not required to be listed.

#### USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.

Additional USA Regulatory Lists

SARA Title III - Section 311/312: Fire Hazard acute health hazard

Rhode Island RTK hazardous substances. (Camphor)

Pennsylvania Right To Know. (Camphor). (ISOBORNEOL)

Minnesota. (Camphor)

Florida. (Camphor)

Massachusetts Right To Know. (Camphor)

New Jersey Right To Know. (Camphor). (ISOBORNEOL)

California Director's List of Hazardous Substances (8 CCR 339). (Camphor)

Tennessee. (Camphor)

## SECTION 16. OTHER INFORMATION

NFPA Rating	Health - 0	Flammability - 3	Instability - 0
SDS Prepared By	W. H.		
Phone No.	405 682 2541		
Date of Preparation	April 07, 2015		
Revision Indicators	Not applicable.		

---

Product Identifier:      POWERBLOCK ULTRA 5LB

SDS No.:                7013

Date of Preparation:    April 07, 2015

Page      07 of 07